

NO CHANGE in Class. ☐
DECLASSIFIED ☐
Class. CHANGED TO: TS S C
DDA Memo, 4 Apr 77
Auth: DDA REG-17/1763
Date: 06 APR 1978 By: *oil*

This document is hereby recognized as
CONFIDENTIAL in accordance with the
letter of 18 October 1973 from the
Director of Central Intelligence to the
Archivist of the United States.
Next Review Date: 2008

25X1A

CONFIDENTIAL

CENTRAL INTELLIGENCE GROUP INTELLIGENCE REPORT

COUNTRY China

DATE:

SUBJECT Communist Order of Battle: Manchuria, Shantung

INFO. As Stated

DIST. 4 February 1947

25X1C

PAGES 1

ORIGIN As Stated

SUPPLEMENT

25X1A

25X1C

1. The 7 Division is now known as the 6 Column. Its organization and disposition are as follows:

6 Column Hq

San-cha-ho (126-02, 44-59)

25X1A

16 Division (formerly 19 Brigade)

/San-cha-ho as of 20 December:

17 Division (formerly 20 Brigade)

/ ditto

18 Division (formerly 21 Brigade)

/crossed Sungari in early Jan.:

2. On 26 January, the Communists withdrew from Fu-lung-chuan (124-37, 44-23).

3. Unit dispositions follow:

/New 2 Army ? /

3 Division

Wu-ko-shu (126-09, 44-47)

/The 3 and 5 Divisions were at San-cha-ho as of 19 December:

5 Division

Wu-chia-chan (125-38, 44-57)

/1 Column ? /

N 1 Division

Hsin-li-tun (126-42, 44-40)

25X1A

359 Brigade

San-cha-ho

/Wu-chang (127-09, 44-45) as of 2 Dec.:

25X1X

25X1A

25X1A

4. /In regard to the Communist attack northwest of Chi-mo (120-29, 36-24), reported in [redacted] as having been made by troops of the 5 and 6 Emancipation Divisions, /

latest reports indicate that the 6 Emancipation Division did not take part in the battle and that the 5 Emancipation Division was only lightly represented. The main Communist striking force were the 3 and 5 Garrison Brigades and two independent artillery regiments. Japanese bodies on the battleground attest to the participation of Japanese troops.

The battle is now subsiding, with the Nationalists in control of the situation.

CLASSIFICATION CONFIDENTIAL

CONFIDENTIAL

ADSO	X	A DEP.	X	FBT		SPDF		VTO		S	X			OCL	
DADSO		FBK		FBV		SPDS		B DEP. 25X1A		P	X				
EXEC.		FBL		FBX		SPDT		CFCB		LO	X				
CONTROL		FBM		FBZ	S 3	SPDA									
PLANS	X	FBP		SPDA		TRB									